AUTHOR INDEX

ADER, R. see BOVBERG, D.H. AJUTI, F. see RAGONA, G.

ALAVI, A. see DOCKRELL, H.M. ALBRECHT, T. see KLIMPEL, G.R.

ALDRIDGE, R.D., SEWELL, H.F., KING, G. & THOM-SON, A.W. Topical cyclosporin A in nickel contact hypersensitivity: results of a preliminary clinical and immunohistochemical investigation, 582

AMOILS, B., MORRISON, R.C., WADEE, A.A., MARCUS, R., NININ, D., KING, P., SARELI, P., LEVIN, S. & RABSON, A.R. Aberrant expression of HLA-DR antigen on valvular fibroblasts from patients with active rheumatic carditis, 88

Andrews, B.S. see Sandborg, C.I. Asuncion, M.T. see Klimpel, G.R.

BAGOT, M. see CZERNIELEWSKI, J.M. BAKER, K.C. see KILSHAW, P.J.

Baltz, M.L., Caspi, D., Evans, D.J., Rowe, I.F., Hind, C.R.K. & Pepvs, M.B. Circulating serum amyloid P component is the precursor of amyloid P component in tissue amyloid deposits, 691

BALTZ, M.L., ROWE, I.F., CASPI, D., TÜRNELL, W.G. & PEPYS, M.B. Is the serum amyloid A protein in acute phase plasma high density lipoprotein the precursor of AA amyloid fibrils? 701

BANKS, K.L. see JUTILA, M.A. BARTALINI, M. see GHIARA, P.

BECKER, H., SCHAUER, U. & HELMKE, K. B lymphocyte activation by insoluble anti-µ antibodies in patients with systemic lupus erythematosus, 365

BENTWICH, Z. see SEGAL, R. BERMAN, M.A. see SANDBORG, C.I. BERNSTEIN, J.M. see TSUTSUMI, H. BERTOVICH, M.J. see SCOTT, M.G. BIANCO, N.E. see RIEBER, M.

BIBERFELD, G. see NILSSON, E. BILLIAU, A. see VAN DAMME, J.

Boraschi, D. see Ghiara, P.

Bose, R., Marsh, D.G. & Delespesse, G. Antiidiotypes to anti-Lolp I (Rye) antibodies in allergic and non-allergic individuals. Influence of immunotherapy, 231

BOTTONE, E. see CONSOLINI, R. BOUTRY, J-M. see LEBAR, R.

BOVBERG, D.H., ADER, R. & COHEN, N. Long-lasting enhancement of the delayed-type hypersensitivity response to heterologous erythrocytes in mice after a single injection of cyclophosphamide, 539

BRAAKMAN, E., VAN TUNEN, A., MEAGER, A. & LUCAS, C.J. Natural cytotoxic activity in multiple sclerosis patients: defects in IL-2/interferon γ-regulatory circuit, 285

BRADLEY, J. see ZOLA, H. BRAUTBAR, C. see SEGAL, R. BROCKE, S. see VOLK, H-D. BRUMMER, E., McEwen, J.G. & STEVENS, D.A. Fungicidal activity of murine inflammatory polymorphonuclear neutrophils: comparison with murine peripheral blood PMN, 681

BURNS, G.F., TRIGLIA, T. & WERKMEISTER, J.A. Cloned human tytotoxic T lymphocytes develop anomalous killer cell function, 558

BUTTERWORTH, A.E. see FITZHARRIS, P.

CANT, A.J. see KILSHAW, P.J. CARDING, S. see REEM, G.H. CARR, M.M. see GAWKRODGER, D.J. CASAROSA, L. see CONSOLINI, R.

CASPI, D. see BALTZ, M.L. CEI, B. see CONSOLINI, R.

CHAPMAN, D.E. see GOOD, M.F. CHARREIRE, J. see PAUTARD, B.

CHEUNG, R.K. see ROIFMAN, C.M.

CHIHARA, K. see SHIOZAWA, S. CHIN, R. see KLIMPEL, G.R.

CHISARI, F.V. see FERRARI, C.
CHRISTENSON, B., JOHANSSON, P.J.H. & OXELIUS, V-A. Imbalanced serum IgG subclass pattern in toxic shock syndrome patients: deficiency of

toxic shock syndrome patients: deficiency of specific IgG1 and IgG4 subclass antibodies to toxic shock syndrome toxin 1, 443 CINI, P. see CONSOLINI, R.

CLANCY, R.L. see GLEESON, M. COATES, A.R.M. see SHOENFELD, Y. COCHRAN, A.J. see HOON, D.S.B.

Coctto, C. & Vanlinden, F. Preparation and properties of antigen 60 from Mycobacterium bovis BCG, 262

COHEN, E. see TSUTSUMI, H. COHEN, N. see BOVBERG, D.H.

CONSOLINI, R., CEI, B., CINI, P., BOTTONE, E. & CASAROSA, L. Circulating thymic hormone deficiency in young cancer patients, 173

CONTRERAS, C.E. see RIEBER, M. CRIPPS, A.W. see GLESON, M. CROMWELL, O. see FITZHARRIS, P.

CZERNIELEWSKI, J.M. & BAGOT, M. Class II MHC antigen expression by human keratinocytes results from lympho-epidermal interactions and y-interferon production, 295

DAVIDSON, G.P. see LABROOY, J.T. DAVIES, K.L. see REEM, G.H.

DAWSON, V.H. see HOLT, P.G. DEEG, H.J. see OSBORNE, W.R.A.

DELESPESSE, G. see Bose, R.

DE LEY, M. see VAN DAMME, J.

DEMAINE, A.G., TAUBE, D.H., VAUGHAN, R.W.,

KERR, L.A.P. & WELSH, K.I. Immunoglobulin
heavy chain switch region restriction fragment
length polymorphisms are associated with renal

disease, 406

DEMANT, E. see MOURITSEN, S.

DENSEN, P. see TEDESCO, F.

DESAL, S. see WALKER, S.A.

DESCAMPS-LATSCHA, B. see PORTEU, F.

DEVEY, M.E. see HOGBEN, D.N. DIAMANTSTEIN, T. see VOLK, H-D.

DOBSON, A.J. see GLEESON, M.

DOCKRELL, H.M., ALAVI, A. & PLAYFAIR, J.H.L. Changes in oxidative burst capacity during murine malaria and the effect of vaccination, 37

DOHERTY, P.C. see LUBLIN, F.D.

DOSAKO, S. see SHINMOTO, H.

DREXHAGE, H.A. see VAN DE PLASSCHE-BOERS, E.M.

DRUILHE, P. see ZOUALI, M. DUBOIS, C. see LEMAIRE, I.

ERNST, M. see PRYJMA, J. EVANS, D.J. see BALTZ, M.L. EYQUEM, A. see ZOUALI, M.

Feighery, C. see Gallagher, R.B. Ferrari, C., Penna, A., Sonsoni, P., Giuberti, T., NERI, T.M., CHISARI, F.V. & FIACCADORI, F. Selective sensitization of peripheral blood T lymphocytes to hepatitis B core antigen in patients with chronic active hepatitis type B, 497

FIACCADOR, F. see FERRARI, C. FIRMAN, D.W. see GLEESON, M.

FISCHER, A. see PORTEU, F. FITZHARRIS, P., MOQBEL, R., THORNE, K.J.I., RICHARDSON, B.A., HARTNELL, A., CROMWELL,

O., BUTTERWORTH, A.E. & KAY, A.B. The effects of eosinophil activating factor on IgG-dependent sulphidopeptide leukotriene generation by human eosinophils, 673

FLAD, H-D. see PRYJMA, J. FONS, M. see KLIMPEL, G.R.

Fosso di San Secondo, V.E.M. see Tedesco, F.

FRENCH, M.A.H. & HARRISON, G. An investigation into the effect of the IgG antibody system on the susceptibility of IgA-deficient patients to respiratory tract infections, 640

FRIOU, G.J. see SANDBORG, C.I. FROSTELL, A. see MENDEL-HARTVIG, I.

FUJITA, T. see SHIOZAWA, S. FUJITA, T. see SUMAZAKI, R.

GALLAGHER, R.B., WHELAN, A. & FEIGHERY, C. Studies on the accessory requirement for T lymphocyte activation by Concanavalin A, 118

GAWKRODGER, D.J., McVITTIE, E., CARR, M.M., Ross, J.A. & Hunter, J.A.A. Phenotypic characterization of the early cellular responses in allergic and irritant dermatitis, 590

GELFAND, E.W. see ROIFMAN, C.M.

GHIARA, P., BARTALINI, M., TAGLIABUE, A. & BORAS-СНІ, D. Anti-inflammatory activity of IFN-β in carrageenan-induced pleurisy in the mouse, 606

GINGRAS, D. see LEMAIRE, I. GIPS, C.H. see VAN FURTH, R. GIUBERTI, T. see FERRARI, C.

GLEESON, M., CRIPPS, A.W., CLANCY, R.L., HENSLEY, M.J., DOBSON, A.J. & FIRMAN, D.W. Breast feeding conditions a differential developmental pattern of mucosal immunity, 216

GOOD, M.F., CHAPMAN, D.E., POWELL, L.W. & HALLIDAY, J.W. The effect of iron (Fe3+) on the cloning efficiency of human memory T4+ lymphocytes, 340

GOUBER DE LAFOREST, P. see MOSSALAYI, M.D.

GRIFFITH, V. see ZOLA, H. GRONDIN, C. see LEMAIRE, I.

GROULT, F. see ROUVEIX, B. GUPTA, R.K. see HOON, D.S.B.

HALBWACHS-MECARELLI, L. see PORTEU, F.

HALLIDAY, J.W. see GOOD, M.F.

HAMMARSTROM, L. & SMITH, C.I.E. Development of anti-polysaccharide antibodies in asplenic children, 457

HARRISON, G. see FRENCH, M.A.H.

HARTNELL, A. see FITZHARRIS, P. Наѕнімото, Ү. ѕее Окичама, Н.

HEDFORS, E. see LINDAHL, G.

HEIJNEN, C.J., VAN DER MEER, J.W.M. & ZEGERS, B.J.M. Altered antigen-presentation in the induction of the in-vitro antigen-specific T helper cell function in patients with chronic granulomatous disease, 111

HELMKE, K. see BECKER, H. HENSLEY, M.J. see GLESON, M. HEREMANS, H. see VAN DAMME, J.

HERNDON, D.N. see KLIMPEL, G.R. HETZEL, P.A.S. see LABROOY, J.T.

HIND, C.R.K. see BALTZ, M.L. HOBBS, J.R. see WALKER, S.A.

HOFFMAN-GOETZ, L., KEIR, R., THORNE, R., HOUS-TON, M.E. & YOUNG, C. Chronic exercise stress in mice depresses splenic T lymphocyte mitogenesis in vitro, 551

HOGBEN, D.N. & DEVEY, M.E. Studies on rheumatoid factor: I. The effect of rheumatoid factor on the clearance of preformed immune complexes in mice, 648

HOHMANN, A.W. see LABROOY, J.T.

HOLT, P.G., ROBINSON, B.W.S., REID, M., KEES, U.R., WARTON, A., DAWSON, V.H., ROSE, A., SCHON-HEGRAD, M. & PAPADIMITRIOU, J.M. Extraction of immune and inflammatory cells from the human lung parenchyma: evaluation of an enzymatic digestion procedure, 188

HOON, D.S.B., WEN, D-R., STENE, M., GUPTA, R.K. & COCHRAN, A.J. Inhibition of lymphocyte motility by interleukin 2, 566

HOUSTON, M.E. see HOFFMAN-GOETZ, L.

HOWARD J.C. see YOUSAF, N.

HOWDLE, P.D., SIMPSON, F.G. & LOSOWSKY, M.S. The distribution of gluten-sensitive lymphocytes in coeliac patients-is it related to dietary gluten? HUNTER, I. see ZOLA, H.

HUNTER, J.A.A. see GAWKRODGER, D.J.

IKEGAMI, H. see SHIOZAWA, S.

JENNI, L. see PLUSCHKE, G.

JOHANSSON, P.J.H. see CHRISTENSSON, B. JOHNSON, R.B. see LABROOY, J.T.

JOKINEN, I. see WANGEL, A.G.

JUTILA, M.A. & BANKS, K.L. Locally dividing macrophages in normal and inflamed mammary glands, 615

KABASHIMA, T. see SUMAZAKI, R.

KATZ, D. see SEGAL, R.

KAWAI, H., YANO, S. & NARUSE, T. Isolation and characterization of rat nephritogenic and nonnephritogenic brush border antigens, 414

KAWAKAMI, H. see SHINMOTO, H. KAY, A.B. see FITZHARRIS, P. KAYHKO, K. see WANGEL, A.G. KEES, U.R. see HOLT, P.G.

KEIR, R. see HOFFMAN-GOETZ, L. KERR, L.A.P. see DEMAINE, A.G.

KILSHAW, P.J., MCEWAN, F.J., BAKER, K.C. & CANT, A.J. Studies on the specificity of antibodies to ovalbumin in normal human serum: technical considerations in the use of ELISA methods, 481

KING, P. see AMOILS, B. KING, G. see ALDRIDGE, R.D.

KLIMPEL, G.R., HERNDON, D.N., FONS, M., ALBRECHT, T., ASUNCION, M.T., CHIN, R. & STEIN, M.D. Defective NK cell activity following thermal injury, 384

KNOBLER, R.L. see LUBLIN, F.D. KOBAYASHI, S. see OKUYAMA, H.

KOH, L. see ZOLA, H.

KOKJE-KLEINGELD, M. see VAN DE PLASSCHE-BOERS,

KORNGOLD, R. see LUBLIN, F.D. KOYAMA, A. see SUMAZAKI, R. KOYAMA, S. see SHIOZAWA, S. KRAMPS, J.A. see VAN FURTH, R.

KROM, R.A.F. see VAN FURTH, R.

LABROOY, J.T., HOHMANN, A.W., DAVIDSON, G.P., HETZEL, P.A.S., JOHNSON, R.B. & SHEARMAN D.J.C. Intestinal and serum antibody in coeliac disease: a comparison using ELISA, 661

LAVIE, G. see SHOENFELD, Y. LEBAR, R., LUBETZKI, C., VINCENT, C., LOMBRAIL, P. & BOUTRY, J-M. The M2 autoantigen of the central nervous system myelin, a glycoprotein present in oligodendrocyte membrane, 423

LECRON, J.C. see Mossalayi, M.D.

LEEZENBERG, H.A. see VAN DE PLASSCHE-BOERS, E.M. LEFKOVITS, I. see Pluschke, G.

LEFVERT, A-K. see LINDAHL, G.

LEIBOWITZ, J.L. see STRAYER, D.S. LEMAIRE, I., DUBOIS, C., GRONDIN, C. & GINGRAS, D. Immunoregulation of lung fibroblast growth: alteration in asbestosis-induced pulmonary

fibrosis, 201 LEVIN, S. see Amoils, B.

LINDAHL, G., LEFVERT, A-K. & HEDFORS, E. Periductal lymphocytic infiltrates in salivary glands in mysathenia gravis patients lacking Sjögren's syndrome, 95

LOMBRAIL, P. see LEBAR, R.

LOSOWSKY, M.S. see HOWDLE, P.D.

LUBETZKI, C. see LEBAR, R.

LUBLIN, F.D., KNOBLER, R.L., DOHERTY, P.C. & KORNGOLD, R. Relapsing experimental allergic encephalomyelitis in radiation bone marrow chimeras between high and low susceptible strains of mice, 491

LUCAS, C.J. see BRAAKMAN, E.

MACDERMOTT, R.P. see Scott, M.G. MACHIDA, A. see OHNUMA, H.

MACKE, K. see Scott, M.G.

MARCUS, R. see AMOILS, B. MARSH, D.G. see BOSE, R.

MATSUNAGA, T. see OKUYAMA, H.

MATTER, L., WILHELM, J.A., ROTH, F. & SCHOPFER, K. Abnormal humoral immune response to Staphylococcus aureus in patients with Staphylococcus aureus hyper IgE syndrome, 450

MAYUMI, M. see OHNUMA, H.

McEwan, F.J. see Kilshaw, P.J.

McEwen, J.G. see Brummer, E. McVittie, E. see GAWKRODGER, D.J.

MEAGER, A. see BRAAKMAN, E.

MENDEL-HARTVIG, I., FROSTELL, A. & NELSON, B.D. Primary biliary cirrhosis: assessment of the quantitative importance of the adenine nucleotide translocator protein as a major mitochondrial antigen, 399

MILLS, G.B. see ROIFMAN, C.M.

MIMS, C.A. Interactions of viruses with the immune system, 1

MIRICK, G.R. see SANDBORG, C.I.

MIYAKAWA, Y. see OHNUMA, H. MIYAMOTO, H. see OHNUMA, H.

MOQBEL, R. see FITZHARRIS, P.

MORRISON, R.C. see AMOILS, B.

MOSSALAYI, M.D., LECRON, J.C., TANZER, J. & GOUBER DE LAFOREST, P. Relationship between IL-2 and human T cell colony formation, 532

MOURITSEN, S., DEMANT, E., PERMIN, H. & WIIK, A. High prevalence of anti-mitochondrial antibodies among patients with some well-defined connective tissue diseases, 68

Mozes, E. see Segal, R. MURIMOTO, M. see SHIOZAWA, S.

NAHM, M.H. see SCOTT, M.G.

NAKAMURA, T. see OHNUMA, H. NARUSE, T. see KAWAI, H.

NASH, G.S. see Scott, M.G. NELSON, B.D. see MENDEL-HARTVIG, I.

NERI, T.M. see FERRARI, C.

NILSSON, E., VON STEDINGK, L-V. & BIBERFELD, G. T8 cell suppression of antigen- and mitogen-induced T4 cell dependent immunoglobulin production, 150

NININ, D. see AMOILS, B.

NISHIKAKU, F. see SUMAZAKI, R.

ODA, K. see OHNUMA, H. OGRA, P.L. see TSUTSUMI, H.

OHNUMA, H., MACHIDA, A., TAKAI, E., TSUDA, F., MIYAMOTO, H., TANAKA, T., ODA, K., USUDA, S., NAKAMURA, T., MIYAKAWA, Y. & MAYUMI, M. Translation products of pre-S(1), pre-S(2) regions and the S gene of hepatitis B virus: susceptibility of their antigenic activities to treatment with heat, urea, formalin or pepsin, 709

OKUYAMA, H., YAMAMOTO, K., MATSUNAGA, T., KOBAYASHI, S. & HASHIMOTO, Y. Relationship of macrophages to defective delayed-type hypersensitivity in B6/lpr mice, 599

OPDENAKKER, G. see VAN DAMME, J.

ORSINI, F. see TSUTSUMI, H. OSAWA, H. see VOLK, H-D.

OSBORNE, W.R.A., DEEG, H.J. & SLICHTER, S.J. A

canine model of induced purine nucleoside phosphorylase deficiency, 166

OXELIUS, V-A. see CHRISTENSSON, B.

PANG, H-L., FENG, H-M. & NG, M-H. Antigens of virulent and attenuated Rickettsia tsutsugamushi,

PAPADIMITRIOU, J.M. see HOLT, P.G.

PAUTARD, B., REMY, J-J. & CHARREIRE, J. Thyroid stimulating immunoglobulin (TSI) synthesis by pokeweed mitogen (PWM) stimulated peripheral blood lymphocytes (PBL) from Graves' disease (GD) patients, 435

PENNA, A. see FERRARI, C. PEPYS, M.B. see BALTZ, M.L. PEPYS, M.B. see Rowe, I.F. PERMIN, H. see MOURITSEN, S. PETERS, T.J. see SHAH, T.

PICCOLI, M. see RAGONA, G.

PINKHAS, J. see SHOENFELD, Y. PITUCH-NOWOROLSKA, A. see PRYJMA, J.

PLAYFAIR, J.H.L. see DOCKRELL, H.M.

PLAYFAIR, J.H.L. see TAVERNE, J. PLUSCHKE, G., JENNI, L., VAN ALPHEN, L. & LEFKO-VITS, I. Complete two-dimensional gel electrophoresis pattern of de novo synthesized acute phase reactants, 331

POCIDALO, J.J. see ROUVEIX, 574

PORTEU, F., FISCHER, A., DESCAMPS-LATSCHA, B. & HALBWACHS-MECARELLI, L. Defective complement receptors (CR1 and CR3) on erythrocytes and leukocytes of factor I (C3b-inactivator) deficient patients, 463

POWELL, L.W. see GOOD, M.F. PRESANI, G. see TEDESCO, F.

PRYJMA, J., PITUCH-NOWOROLSKA, A., FLAD, H-D., ULMER, A.J. & ERNST, M. Suppression of Staphylococcus aureus Cowan I induced immunoglobulin in synthesis in vitro: discrimination between the presence of suppressor T cell precursors and effector, 348

RABSON, A.R. see AMOILS, B.

RAGONA, G., SIRIANNI, M.C., SODDU, S., VERCELLI, B., SEBASTIANI, G., PICCOLI, M. & AIUTI, F Evidence for disregulation in the control of Epstein-Barr virus latency in patients with AIDS-related complex, 17

RAUCH, J. see SHOENFELD, Y.

REEM, G.H., DAVIES, K.L. & CARDING, S. Induction of interleukin 2 receptors on immature human thymocytes and co-expression of T3 and T6 antigens, 358

REES, R.C. see VALLELY, P.J. REID, M. see HOLT, P.G.

REITAMO, S. see WANGEL, A.G. REMY, J-J. see PAUTARD, B.

RICHARDSON, B.A. see FITZHARRIS, P.

RICHES, P.G. see WALKER, S.A.

RIEBER, M., CONTRERAS, C.E., RIEBER, M.S. & BIANCO, N.E. Novel DNA-protein complex and a large DNA in SLE cryoprecipitates, 61

RIEBER, M.S. see RIEBER, M. RIEPENHOFF-TALTY, M. see TSUTSUMI, H. ROBINSON, B.W.S see HOLT, P.G.

ROIFMAN, C.M., MILLS, G.B., CHEUNG, R.K. &

GELFAND, E.W. Mitogenic response of human thymocytes: identification of functional Ca2+dependent and independent signals, 139

RONCELLI, L. see TEDESCO, F.

Rose, A. see Holt, P.G. Ross, J.A. see GAWKRODGER, D.J.

ROTH, F. see MATTER, L.

ROUVEIX, B., GROULT, F. & POCIDALO, J.J. A comparison of leukocyte aggregation, leukocyte migration and skin reactivity to recall antigens in patients with AIDS, 574

ROWE, I.F. see BALTZ, M.L.

ROWE, I.F., SOUTAR, A.K. & PEPYS, M.B. Agglutination of intravenous lipid emulsion ('Intralipid') and plasma lipoproteins by C-reactive protein, 241

SANDBORG, C.I., BERMAN, M.A., ANDREWS, B.S., MIRICK, G.R. & FRIOU, G.J. Increased production of an interleukin 1 (IL-1) inhibitor with fibroblast stimulating activity by mononuclear cells from patients with scleroderma, 312

SANSONI, P. see FERRARI, C. SARELI, P. see AMOILS, B.

SCHAUER, U. see BECKER, H.

SCHON-HEGRAD, M. see HOLT, P.G.

SCHOPPER, K. see MATTER, L.

SCOTT, M.G., NAHM, M.H., MACKE, K., NASH, G.S., BERTOVICH, M.J. & MACDERMOTT, R.P. Spontaneous secretion of IgG subclasses by intestinal mononuclear cells: differences between ulcerative colitis, Crohn's disease and controls, 209

SEBASTIANI, G. see RAGONA, G.

SEGAL, R., BRAUTBAR, C., KATZ, D., SHALEV, Y., BENTWICH, Z. & MOZES, E. Analysis of antigen specific T cell helper function in first degree relatives of patients with systemic lupus erythematosus (SLE), 52

SEWELL, H.F. see ALDRIDGE, R.D.

SHAH, T., SIMPSON, R.J., WEBSTER, A.D.B. & PETERS, T.J. Uptake of free adenosine and adenosine monophosphate by human peripheral blood lymphocytes: possible kinetic role for ecto-5'nucleotidase in the regulation of intracellular adenosine, 158

SHALEV, Y. see SEGAL, R. SHAUL, D. see SHOENFELD, Y.

SHAW, P.J. see WALKER, S.A.

SHEARMAN, D.J.C. see LABROOY, J.T. SHIBASAKI, M. see SUMAZAKI, R.

SHINMOTO, H., KAWAKAMI, H., DOSAKO, S. & SOGO, Y. IgA specific helper factor (aHF) in human colostrum, 223

SHIOZAWA, S., CHIHARA, K., SHIOZAWA, K., FUJITA, T., IKEGAMI, H., KOYAMA, S. & KURIMOTO, M. A sensitive radioimmunoassay for alpha-interferon: circulating α-interferon-like substance in the plasma of healthy individuals and rheumatoid arthritis patients, 77

SHIOZAWA, K. see SHIOZAWA, S.

SHOENFELD, Y., VILNER, Y., COATES, A.R.M., RAUCH, J., LAVIE, G., SHAUL, D. & PINKHAS, J. Monoclonal anti-tuberculosis antibodies react with DNA, and monoclonal anti-DNA autoantibodies react with Mycobacterium tuberculosis, 255

SIMPSON, R.J. see SHAH, T.
SIMPSON, F.G. see HOWDLE, P.D.
SIRIANNI, M.C. see RAGINA, G.
SKALETSKY, E. see STRAYER, E.
SLICHTER, S.J. see OSBORNE, W.R.A.
SMITH, C.I.E. see HAMMARSTROM, L.
SODDU, S. see RAGONA, G.
SOGO, Y. see SHINMOTO, H.
SOUTAR, A.K. see ROWE, I.F.
STEIN, M.D. see KLIMPEL, G.R.
STENE, M. see HOON, D.S.B.

STEVENS, D.A. see BRUMMER, E.
STRAYER, D.S., SKALETSKY, E. & LEIBOWITZ, J.L.
Inhibition of virus replication does not alter malignant rabbit fibroma virus-induced immunosuppression, 25

SUMAZAKI, R., FUJITA, T., KABASHIMA, T., NISHIK-AKU, F., KOYAMA, A., SHIBASAKI, M. & TAKITA, H. Monoclonal antibody against bacterial lipopolysaccharide cross-reacts with DNA-histone, 103

SUZUKI, M. & VOGT, A. Mitogenic activity of extracellular cationic products produced by group A streptococci: analysis of the lymphocyte response, 132

TAGLIABUE, A. see GHIARA, P. TAKAI, E. see OHNUMA, H.

Takeshita, A. Regulation of immunoglobulin synthesis by monocytes in multiple myeloma and benign monoclonal gammopathy, 625

TAKITA, H. see SUMAZAKI, R. TANAKA, T. see OHNUMA, H. TANZER, J. see MOSSALAYI, M.D. TAUBE, D.H. see DEMAINE, A.G.

TAVERNE, J., TREAGUST, J.D. & PLAYFAIR, J.H.L.
Macrophage cytotoxicity in lethal and non-lethal
murine malaria and the effect of vaccination, 44

Tedesco, F., Densen, P., VILLA, M.A., Presani, G., Roncelli, L. & Fosso de San Secondo, V.E.M. Functional C8 associated with human platelets,

THOMSON, A.W. see ALDRIDGE, R.D. THORNE, R. see HOFFMAN-GOETZ, L. THORNE, K.J.I. see FITZHARRIS, P. TREAGUST, J.D. see TAVERNE, J.

TRIGLIA, T. see BURNS, G.F. TSUDA, F. see OHNUMA, H.

TSUTSUMI, H., BERNSTEIN, J.M., RIEPENHOFF-TALTY, M., COHEN, E., ORSINI, F. & OGRA, P.L. Immune responses to herpes simplex virus in patients with recurrent herpes labialis: I. development of cellmediated cytotoxic responses, 507 TURNELL, W.G. see BALTZ, M.L.

ULMER, A.J. see PRYJMA, J. USUDA, S. see OHNUMA, H.

VALLELY, P.J. & REES, R.C. Seminal plasma suppression of human lymphocyte responses in vitro requires the presence of bovine serum factors, 181

VAN ALPHEN, L. see PLUSCHKE, G.

VAN DAMME, J., OPDENAKKER, G., DE LEY, M., HEREMANS, H. & BILLIAU, A. Pyrogenic and haematological effects of the interferon-inducing 22K factor (interleukin 1B) from human leucocytes, 303

VAN DEN BERG, W.B. see VAN DEN BROEK, M.F. VAN DEN BROEK, M.F., VAN DEN BERG, W.B. & VAN DE PUTTE, L.B.A. Monoclonal anti-Ia antibodies suppress the flare up reaction of antigen induced arthritis in mice, 320

VAN DE PLASSCHE-BOERS, E.M., DREXHAGE, H.A., KOKJÉ-KLEINGELD, M. & LEZENBERG, H.A. Parameters of T cell mediated immunity to commensal micro-organisms in patients with chronic purulent rhinosinusitis: a comparison between delayed type hypersensitivy skin test, lymphocyte transformation test and macrophage migration inhibition factor assay, 516

VAN DE PUTTE, L.B.A. see VAN DEN BROEKE, M.F. VAN DER MEER, J.W.M. see HEIJNEN, C.J.

VAN DER PUTTEN, A.B.M.M. see VAN FURTH, R. VAN FURTH, R., KRAMPS, J.A., VAN DER PUTTEN, A.B.M.M., KROM, R.A.F. & GIPS, C.H. Change in α₁-antitrypsin phenotype after orthotopic liver transplant, 669

VAN TUNEN, A. see BRAAKMAN, E. VAUGHAN, R.W. see DEMAINE, A.G. VERCELLI, B. see RAGONA, G. VILLA, M.A. see TEDESCO, F. VILNER, Y. see SHOENFELD, Y.

VINCENT, C. see LEBAR, R. VOGT, A. see Suzuki, M.

VOLK, H-D., BROCKE, S., OSAWA, H. & DIAMANT-STEIN, T. Effects of in-vivo administration of a monoclonal antibody specific for the interleukin 2 receptor on the acute graft-versus-host reaction in mice, 126

VOLK, H-D. & DIAMANTSTEIN, T. IL-2 normalizes defective suppressor T cell function of patients with systemic lupus erythematosus in vitro, 525 VON STEDINGK, L.V. see NILSSON, E.

WADEE, A.A. see Amoils, B.

WALKER, S.A., RICHES, P.G., WILD, G., WARD, A.M., SHAW, P.J., DESAI, S. & HOBBS, J.R. Total and allergen-specific IgE in relation to allergic response pattern following bone marrow transplantation, 633

WANGEL, A.G., KAYHKO, K., REITAMO, S. & JOKINEN, I. Effects of a human urinary mitogen on subpopulations of peripheral blood mononuclear leucocytes. 248

cocytes, 248

WARD, A.M. see WALKER, S.A.

WARTON, A. see HOLT, P.G.

WEBSTER, A.D.B. see SHAH, T.

WELSH, K.I. see DEMAINE, A.G.

WEN, D-R. see HOON, D.S.B.

WERKMEISTER, J.A. see BURNS, G.F.

WHELAN, A. see GALLAGHER, R.B.

WILK, A. see MOURITSEN, S.

WILD, G. see WALKER, S.A.

WILHELM, J.A. see MATTER, L.

WILLIAMS, B.D. see YOUSAF, N.
YAMAMOTO, K. see OKUYAMA, H.
YANO, S. see KAWAI, H.

Young, C. see Hoffman-Goetz, L. Young, N., Howard, J.C. & WILLIAMS, B.D. Studies in cobra venom factor treated rats of antibody coated erythrocyte clearance by the spleen: differential influence of red blood cell antigen number on the inhibitory effects of immune complexes on Fc dependent clearance, 654

ZEGERS, B.J.M. see HEUNEN, C.J. ZOLA, H., GRIFFITH, V., HUNTER, I., KOH, I. & Bradley, J. Responses of 'mature' human B lymphocyte lines to inducers of maturation and activation, 373

ZOUALI, M., DRUILHE, P. & EYQUEM, A. IgG-subclass expression of anti-DNA and anti-ribonucleoprotein autoantibodies in human malaria, 273

SUBJECT INDEX

Acute phase Circulating DNA, 61 reactants, 331 Cloning efficiency, 340 response, 701 Coeliac, 393, 661 Adenine nucleotide translocator, 399 Colony promoting activity, 532 Adenosine uptake, 158 Colostrum, 223 Ageing, 77 Commensal microbial antigens, 516 AIDS, 574 Complement receptors, 463 AIDS-related complex, 17, 574 Concanavalin A, 118, 551 Allergic-untreated, 231 Connective tissue disease, 68 α₁-antitrypsin, 669 Crohn's disease, 209 α-interferon, 77 Cyclophosphamide, 539 Amyloidosis, 691, 701 Cyclosporin, 582 Amyloid P component, 691 Cytosolic calcium, 139 Anomalous killer function, 558 Cytotoxicity, 44 Antibodies anti-DNA, 255, 273 Delayed type hypersensitivity, 539, 599 anti-gluten, 661 Dermatitis anti-Ia, 320 allergic contact, 590 anti-immunoglobulin, 365 irritant, 590 anti-Lol I (Rye I), 231 Differentiation, 373 anti-mitochondrial, 68 Dithranol, 590 anti-nuclear, 103 Division, 615 IgG, 450 DNA-binding immune complexes, 61 intestinal, 661 DNA-histone, 103 synthesis, 209 DTH skin test, 516 Antigen, 279 bacterial, 262 Eicosanoids, 606 brush border, 414 ELISA, 68, 481 Class II MHC, 295 Encephalomyelitis, 491 hepatitis B core, 497 Experimental mitochondrial, 399 allergic encephalomyelitis, 423 presentation, 111 glomerulonephritis, 414 T6, 358 Endotoxin, 303 Anti-idiotype, 231 Eosinophil activation, 673 Antigen induced arthritis, 320 Eosinophils, 673 Asplenia, 457 Epithelial-HLA-DR expression, 95 Attenuation, 279 Exercise training, 551 Autoantibodies, 255 Extracellular cationic streptococcal products, 132 Autoimmune diseases, 255, 365 Autoimmunity, 273 Facteur thymique serique, 173 Autologous mixed lymphocyte reaction, 525 Family study, 52 Fc receptor, 654 Bovine serum, 181 Feeding, 216 Fever, 303 C8, 472 Fibroblast Cancer, 173 growth, 201 Cells stimulating activity, 312 accessory, 118 Flare up reaction, 320 B cells, 435, 373 Fungicidal activity, 681 IL-2 receptor bearing, 126 natural killer, 181, 188, 384, 507 Gammaglobulin therapy, 640 sorter, 625 Gamma-interferon, 285 T4, T8, 150 Genetic Cellular immunity, 340 regulations, 491 Children, 216 deficiency, 463 Chronic granulomatous disease, 111 Gluten, 393

Gluten-free diet, 661

Graft-versus-host reaction, 126

Chronic lymphatic leukaemia, 158

Chronic purulent rhinosinusitis, 516

Subject Index

Granulopenia/granulocytosis, 303 Graves' disease, 435

Haemopexin, 331 Haptoglobin, 331 Helper factor, 223

Hepatitis B envelope protein, 709 Hepatitis, Type B chronic active, 497

Hepatitis vaccine, 709 Herpes labialis, 507 High density lipoprotein, 701

HLA-typing, 52

Human peripheral blood lymphocytes, 285

Human thymocytes, 358

Hypogammaglobulinaemia, common variable, 158

IgA, 223 deficiency, 640 IgE total serum, 663

allergen specific, 633 IgG, 673

human subclasses, 209, 273

subclass, 443, 640 Ig production, 248 secretion, 373

Immune complexes, 648, 654 deficiency, 166 Immunity, 216, 457

Immunoassays, 262 Immunoenzymatic staining, 95 Immunoglobulins, 216, 406

subclass, 457 thyroid stimulating, 435 Immunophenotyping, 590 Immunopotentiation, 539 Immunoregulation, 150 Immunosuppression, 1, 25 Immunotherapy, 231 Inflammation, 606

Inflammatory bowel disease, 209

Interferon, 303, 606 Interferon gamma, 525 Interleukin 1, 139, 201, 303 inhibitor, 312

Interleukin 2, 139, 285, 525, 532, 566

receptors, 358 Intralipid, 241 Iron, 340

Keratinocytes, 295

activation, 118

human, 158

Leucocyte aggregation, 574 migration, 574 Leucotriene C4, 673 Lipopolysaccharide, 103 Lipopolysaccharide-proteins, 262 Lipoprotein, 241 LPS, 648 Lung parenchyma, 188 Lymphocytes, 201, 393 infiltration, 95 migration, 566 motility, 566 proliferation, 248 subpopulations, 132 transformation, 365 transformation test, 516 Lymphokine, 201

M2, 423 Macrophage, 37, 44, 599, 188, 615 Malaria, 37, 44, 273 Mammary gland, 615 Man, 481 Membrane phenotype, 373 MHC Class II antigens, 88 Mice, 539, 551

Migration inhibition, 393 Migration inhibition factor assay, 516

Mitogenic activity, 132 Mixed skin cell-lymphocyte culture reactions, 295 Monoclonal antibodies, 103, 625

Monocytes, 201, 625 Monokines, 673 Mononuclear phagocyte system, 654

B6/lpr, 599

Mucosal, 216

Multiple myeloma, 625 Multiple sclerosis patients, 285 Mycobacteria, 262 Myelin, 423

Natural cytotoxic activity, 285 Nephritis

Heymann, 414 immune complex-mediated, 414 experimental membranous, 414

5'nucleotidase, 158 Neutrophil activation, 681 depression, 681 Nickel sensitivity, 582, 590 Non-allergic, 231

Oligodendrocytes, 423 Ontogeny, 216 Ovalbumin, 481 Oxidative burst, 37

Phagocytosis, 463

Phosphonoacetic acid, 25 Platelets, 472 Pokeweed mitogen, 348, 625 Primary biliary cirrhosis, 68, 399

Prognosis, 574
Progressive systemic sclerosis, 312
Protein

basic, 423 C-reactive, 241 Pulmonary fibrosis, 201

Purine nucleoside phosphorylase, 166

Radiation chimeras, 491 Radioimmunoassay, 77 Renal diseases, 406

Restriction fragment length polymorphisms, 406

Rheumatic heart disease, 88 Rheumatoid arthritis, 77 Rheumatoid factor, 648 Rickettsia tsutsugamushi, 279

Salivary glands, 95 Scleroderma, 312 Seminal plasma, 181 Serum amyloid A protein, 701 Serum amyloid P component, 691 Sheep red blood cells, 539 Skin test, 574 Sodium dodecyl sulphate polyacrilamide gel electrophoresis, 68 Specificity, 481 Spleen, 551 Staphylococcus aureus, 348 Staphylococcus epidermidis, 450 Succinate dehydrogenase, 551 Suppressor T cell activation, 348 Synthetic polypeptide antigen, 52 Systemic lupus erythematosus, 52, 61, 68, 365, 525

T3, 358 T cell, 188 colonies, 532 helper factors, 52 mitogenesis, 818 proliferation, 497 Thermal injury, 384 Thymocytes, 139
cytotoxic T, 507
cytotoxic T clones, 558
Tolerization, 1
Toxic shock syndrome, 443
Transfer of allergic response pattern, 633
Transplant
bone marrow, 633
liver, 669
Treadmill running, 551
TSST-1, 443
Tuberculosis, 255
Tumour necrosis factor, 44
Two-dimensional gel electrophoresis, 331

Ulcerative colitis, 209 Urinary mitogen, 248

Vaccination, 37, 44
Virus-lymphocyte, I
Virus
Epstein-Barr, 17
hepatitis B, 709
herpes simplex, 384
herpes simplex type 1, 507
HTLV-III, 17
Malignant rabbit fibroma virus, 25

Western blot, 450